



# IPH Series PUMP LTD



3.937 Inch | 100 Millimeter x 5.906 Inch | 150 Millimeter x 1.89 Inch | 48 Millimeter NTN 7020CGD2/GNP4 Precision Ball Bearings

Bearing No. 7020CGD2/GNP4

7020CGD2/GNP4 Bearing 2D drawings and 3D CAD models

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	2.492
EAN	4547359434668
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material - Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Nylon
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Universal
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row   Angular Contact
Long Description	100MM Bore; 150MM Outside Diameter; 48MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; Steel Ball Material; 2 (1 Pair)



## IPH Series PUMP LTD

	Bearings; 15 Degree Contact Angle; Nylon Cage Material; 1 Rib Outer Ring Race
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	7020CGD2/GNP4
Weight / LBS	5.494
d	3.937 Inch   100 Millimeter
D	5.906 Inch   150 Millimeter
B	1.89 Inch   48 Millimeter
bore diameter:	100 mm
cage material:	Nylon
outside diameter:	150 mm
finish/coating:	Uncoated
overall width:	48 mm
inner ring width:	24 mm
contact angle:	15 °
maximum rpm (oil):	12000 rpm
duplex type:	Universal Flush Ground
maximum rpm (grease):	7520 rpm
closure type:	Open
outer ring width:	24 mm
operating temperature range:	-40 to 120 ° C
fillet radius:	1.5 mm
bearing material:	High Carbon Chrome Steel
manufacturer product page:	<a href="#">Click here</a>
precision rating:	ISO Class 4



# IPH Series PUMP LTD