



## IPH Series PUMP LTD



23026CDE4C3 Bearing 2D drawings and 3D CAD models

5.118 Inch | 130 Millimeter x 7.874 Inch | 200 Millimeter x 2.047 Inch | 52 Millimeter NSK 23026CDE4C3 Self-Aligning Roller Bearings

Bearing No. 23026CDE4C3

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	6
EAN	0029176008696
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch - Metric	Metric
Long Description	130MM Straight Bore; 200MM Outside Diameter; 52MM Width; C3-Loose Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable
Category	Spherical Roller Bearing
UNSPSC	31171510



## IPH Series PUMP LTD

Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	23026CDE4C3
Weight / LBS	6
D	7.874 Inch   200 Millimeter
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter
B	2.047 Inch   52 Millimeter
d	5.118 Inch   130 Millimeter
bore diameter:	130 mm
maximum rpm:	2000 RPM
outside diameter:	200 mm
operating temperature range:	Maximum of +200 ° C
overall width:	52 mm
cage material:	Steel
bore type:	Straight
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	RBEC 1 (ISO Class Normal)
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	52 mm
dynamic load capacity:	400000 N
fillet radius:	2 mm
static load capacity:	655000 N



## IPH Series PUMP LTD

series:

230